

PSMA International Energy Harvesting Workshop • April 5-7, 2022 • Raleigh, NC, USA

EnerHarv 2022 Day 2 Opening Remarks

Wed, April 6, 2022





Organizer



Host & Venue



Media Sponsors

Industry Sponsors











Keynote – Patrick Mercier

- Size & usability Battery life Utility
- Advantages of integration
- Various methods for integration/partitioning of components, circuits and systems
- On and off chip MHz PMICs
- Lot of innovative architecture moving/stacking L & C
- Event driven controller, multi source, time shared L, etc.
- Bio fuel cells (glucose, lactate) can double up as sensors
- Novel power amplifier architectures
- World record for WPT (>40%)
- Also open to migrating better passives, e.g. batteries



Marian Transducer session - Saibal, Cristina, Luc

- Wideband challenge
- Innovative MEMS & mezo devices e.g. Bi-stable quadratic non-linear VEH
- Various options for integration of magnetics
- Advantage of wireless Accessibility, weight (cables)
- Condition monitoring of pumps and industrial machinery => good applications –
 deterministic
- Watch out for repeatability, consider how and where to place parts
- Good for non critical low data rate senses for automotive
- Other good apps pumps, wind turbine, tyre pressure, pacemakers
- System level packaging is important and not considered adequately
- Sleep power often dominates
- AIN offers high quality, durability and ease of integration
- Tungsten based parts with high Q, innovative wafer level fabrication, bonding and adding cantilever/mass
- Best reported normalized power density at <100Hz



System integration 1 - Sami, Valeria, Omer

- Advanced patterning challenges
- Need long life with low losses
- Nice spider chart to assess technologies
 - Energy Density Thermal stability Cycle life Self discharge Power Density
- Ideally looking for DC to GHZ performance ion capacitors with standard fab processes
- Need easy tuning and multimodal capability
- Samples tested with LoRaWAN & BLE platforms
- Capacitive micro-machined ultrasonic transducers (CMUT) parallel plate cap with movable plate can also generate ultrasound
- Glass substrate technology
- Can be used for neurostimulation applications but watch FDA limits
- EVAR device for treating (measuring) aneurisms
- Can create low power VOC environmental sensors
- Pros and cons of ultrasonic over RF (size, delivery range, power density)
- Opportunities to improve wireless power output not looked at closely till now




Marian Power Net Generation WSN Experience – Lorandt, Roberto, Brendan, Luc, Brian

- Customer driver what is killer application?
- Batteries too cheap life cycle costs not fully taken into account someone else's problem. Also we need to educate the entire ecosystem on this – cost, environmental impact, sustainability, etc.
- Regulations can help change attitude of adopter
- We should be optimistic it takes time and good traction to date
- Will adding complexity to the edge hurt us?
- People will always greedy and use all the power we give them.. and more
- Need more than just software we need LOGIC (architecture and intelligence to dynamically collect data in the leanest possible way to meet application need)
- Need to have tools and databases to help better predict batter life many applications are less deterministic and have higher probability distribution (ambient energies, data collected, etc.) -> incident based
- Lack of standard parts due to multitude of applications, with major variations in needs
- Simplicity and customization needed.



Consider going sub contract manufacturer rote – big names will not engage

How does our ecosystem look now?







Enjoy days 2 and 3!



PSMA International Energy Harvesting Workshop • April 5-7, 2022 • Raleigh, NC, USA